

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	N	Percent
a. Physical activity		
High Schools	60	40
Middle Schools	108	40
Junior/Senior High Schools	1	0
All Schools	169	40
b. Nutrition		
High Schools	60	40
Middle Schools	110	42
Junior/Senior High Schools	1	0
All Schools	171	41
c. Tobacco-use prevention		
High Schools	60	47
Middle Schools	111	34
Junior/Senior High Schools	1	0
All Schools	172	39
d. Asthma		
High Schools	60	18
Middle Schools	109	19
Junior/Senior High Schools	1	0
All Schools	170	18

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

3. Percentage of schools that have a copy of district's wellness policy.

	N	Percent
Yes		
High Schools	65	97
Middle Schools	114	98
Junior/Senior High Schools	0	0
All Schools	179	98
No		
High Schools	65	2
Middle Schools	114	1
Junior/Senior High Schools	0	0
All Schools	179	1
District does not have wellness policy		
High Schools	65	2
Middle Schools	114	1
Junior/Senior High Schools	0	0
All Schools	179	1

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

	N	Percent
High Schools	65	80
Middle Schools	117	92
Junior/Senior High Schools	1	100
All Schools	183	87

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

	N	Percent
High Schools	64	66
Middle Schools	117	69
Junior/Senior High Schools	1	0
All Schools	182	68

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent
a. School administration		
High Schools	41	93
Middle Schools	79	90
Junior/Senior High Schools	0	0
All Schools	120	91
b. Health education teachers		
High Schools	41	93
Middle Schools	80	89
Junior/Senior High Schools	0	0
All Schools	121	90
c. Physical education teachers		
High Schools	41	90
Middle Schools	81	85
Junior/Senior High Schools	0	0
All Schools	122	87
d. Mental health or social services staff		
High Schools	42	62
Middle Schools	77	53
Junior/Senior High Schools	0	0
All Schools	119	56
e. Nutrition or food service staff		
High Schools	40	75
Middle Schools	78	83
Junior/Senior High Schools	0	0
All Schools	118	80
f. Health services staff (e.g., school nurse)		
High Schools	41	93
Middle Schools	79	88
Junior/Senior High Schools	0	0
All Schools	120	90

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent
g. Maintenance and transportation staff		
High Schools	41	34
Middle Schools	76	25
Junior/Senior High Schools	0	0
All Schools	117	28
h. Student body		
High Schools	41	41
Middle Schools	77	34
Junior/Senior High Schools	0	0
All Schools	118	37
i. Parents or families of students		
High Schools	41	59
Middle Schools	78	68
Junior/Senior High Schools	0	0
All Schools	119	65
j. Community		
High Schools	41	51
Middle Schools	77	52
Junior/Senior High Schools	0	0
All Schools	118	52
k. Local health departments, agencies, or organizations		
High Schools	41	32
Middle Schools	78	30
Junior/Senior High Schools	0	0
All Schools	119	30
l. Faith-based organizations		
High Schools	41	2
Middle Schools	77	3
Junior/Senior High Schools	0	0
All Schools	118	3

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent
m. Businesses		
High Schools	41	22
Middle Schools	77	12
Junior/Senior High Schools	0	0
All Schools	118	16
n. Local government		
High Schools	41	22
Middle Schools	77	11
Junior/Senior High Schools	0	0
All Schools	118	15

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	N	Percent
a. Ethnic/racial minority youth at high risk		
High Schools	65	12
Middle Schools	117	10
Junior/Senior High Schools	1	0
All Schools	183	11
b. Youth who participate in drop-out prevention, alternative education, or GED programs		
High Schools	65	26
Middle Schools	117	10
Junior/Senior High Schools	1	0
All Schools	183	16

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

	N	Percent
High Schools	64	60
Middle Schools	112	12
Junior/Senior High Schools	1	0
All Schools	177	31

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.

	N	Percent
a. Attendance of students with HIV infection		
High Schools	62	82
Middle Schools	114	81
Junior/Senior High Schools	1	0
All Schools	177	81
b. Procedures to protect HIV-infected students and staff from discrimination		
High Schools	62	95
Middle Schools	114	87
Junior/Senior High Schools	1	0
All Schools	177	89
c. Maintaining confidentiality of HIV-infected students and staff		
High Schools	62	95
Middle Schools	114	88
Junior/Senior High Schools	1	0
All Schools	177	90
d. Worksite safety		
High Schools	62	94
Middle Schools	114	93
Junior/Senior High Schools	1	0
All Schools	177	93
e. Confidential counseling for HIV-infected students		
High Schools	62	77
Middle Schools	114	69
Junior/Senior High Schools	1	0
All Schools	177	72
f. Communication of the policy to students, school staff, and parents		
High Schools	62	84
Middle Schools	114	74
Junior/Senior High Schools	1	0
All Schools	177	77

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.

	N	Percent
g. Adequate training about HIV infection for school staff		
High Schools	63	76
Middle Schools	113	72
Junior/Senior High Schools	1	0
All Schools	177	73
h. Procedures for implementing the policy		
High Schools	61	88
Middle Schools	112	78
Junior/Senior High Schools	1	0
All Schools	174	81

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.

	N	Percent
a. Yes		
High Schools	64	80
Middle Schools	113	64
Junior/Senior High Schools	1	0
All Schools	178	69
b. No		
High Schools	64	19
Middle Schools	113	32
Junior/Senior High Schools	1	100
All Schools	178	27
c. Not applicable		
High Schools	64	2
Middle Schools	113	5
Junior/Senior High Schools	1	0
All Schools	178	3

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

11. Percentage of schools that require physical education for students in any of grades 6 through 12.

	N	Percent
High Schools	65	97
Middle Schools	116	98
Junior/Senior High Schools	1	100
All Schools	182	97

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

12. Percentage of all schools that taught a required physical education course in each of the following grades.*

	N	Percent
a. Sixth grade		
High Schools	NA	NA
Middle Schools	102	96
Junior/Senior High Schools	0	0
All Schools	102	96
b. Seventh grade		
High Schools	NA	NA
Middle Schools	112	96
Junior/Senior High Schools	0	0
All Schools	112	96
c. Eighth grade		
High Schools	NA	NA
Middle Schools	112	97
Junior/Senior High Schools	0	0
All Schools	112	97
d. Ninth grade		
High Schools	62	94
Middle Schools	16	70
Junior/Senior High Schools	1	100
All Schools	79	89
e. Tenth grade		
High Schools	57	76
Middle Schools	NA	NA
Junior/Senior High Schools	1	100
All Schools	58	76
f. Eleventh grade		
High Schools	54	52
Middle Schools	NA	NA
Junior/Senior High Schools	1	100
All Schools	55	53
g. Twelfth grade		
High Schools	53	45
Middle Schools	NA	NA
Junior/Senior High Schools	1	100
All Schools	54	46

*Among schools with students in that grade.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent
a. Enrollment in other courses		
High Schools	62	31
Middle Schools	108	6
Junior/Senior High Schools	0	0
All Schools	170	16
b. Participation in school sports		
High Schools	62	26
Middle Schools	108	1
Junior/Senior High Schools	0	0
All Schools	170	11
c. Participation in other school activities		
High Schools	62	16
Middle Schools	108	4
Junior/Senior High Schools	0	0
All Schools	170	9
d. Participation in community sports activities		
High Schools	62	10
Middle Schools	108	1
Junior/Senior High Schools	0	0
All Schools	170	4
e. Religious reasons		
High Schools	62	34
Middle Schools	107	34
Junior/Senior High Schools	0	0
All Schools	169	34
f. Long-term physical or medical disability		
High Schools	62	81
Middle Schools	108	81
Junior/Senior High Schools	0	0
All Schools	170	81
g. Cognitive disability		
High Schools	62	31
Middle Schools	108	19
Junior/Senior High Schools	0	0
All Schools	170	24

*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent
h. High physical fitness competency test score		
High Schools	62	3
Middle Schools	108	0
Junior/Senior High Schools	0	0
All Schools	170	1
i. Participation in vocational training		
High Schools	61	8
Middle Schools	108	0
Junior/Senior High Schools	0	0
All Schools	169	3
j. Participation in community service activities		
High Schools	61	5
Middle Schools	108	0
Junior/Senior High Schools	0	0
All Schools	169	2

*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.

	N	Percent
a. Yes		
High Schools	65	95
Middle Schools	117	99
Junior/Senior High Schools	1	0
All Schools	183	97
b. No		
High Schools	65	5
Middle Schools	117	1
Junior/Senior High Schools	1	100
All Schools	183	3
c. Not Applicable		
High Schools	65	0
Middle Schools	117	0
Junior/Senior High Schools	1	0
All Schools	183	0

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

	N	Percent
High Schools	65	98
Middle Schools	116	98
Junior/Senior High Schools	1	0
All Schools	182	98

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that provide those who teach physical education with the following materials.

	N	Percent
a. Goals, objectives, and expected outcomes for physical education		
High Schools	65	95
Middle Schools	117	97
Junior/Senior High Schools	1	0
All Schools	183	96
b. A chart describing the annual scope and sequence of instruction for physical education		
High Schools	64	77
Middle Schools	116	83
Junior/Senior High Schools	1	0
All Schools	181	80
c. Plans for how to assess student performance in physical education		
High Schools	64	75
Middle Schools	115	82
Junior/Senior High Schools	1	0
All Schools	180	79
d. A written physical education curriculum		
High Schools	65	88
Middle Schools	117	93
Junior/Senior High Schools	1	0
All Schools	183	90

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

	N	Percent
High Schools	61	71
Middle Schools	102	87
Junior/Senior High Schools	1	100
All Schools	164	81

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools that have adopted a policy prohibiting tobacco use.

	N	Percent
High Schools	63	100
Middle Schools	116	99
Junior/Senior High Schools	1	100
All Schools	180	99

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	N	Percent
a. Cigarettes		
High Schools	63	98
Middle Schools	113	96
Junior/Senior High Schools	1	100
All Schools	177	97
b. Smokeless tobacco		
High Schools	63	98
Middle Schools	112	95
Junior/Senior High Schools	1	100
All Schools	176	96
c. Cigars		
High Schools	63	95
Middle Schools	113	94
Junior/Senior High Schools	1	100
All Schools	177	94
d. Pipes		
High Schools	63	94
Middle Schools	113	92
Junior/Senior High Schools	1	100
All Schools	177	93

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	N	Percent
a. Cigarettes		
High Schools	63	97
Middle Schools	113	95
Junior/Senior High Schools	1	100
All Schools	177	96
b. Smokeless tobacco		
High Schools	62	94
Middle Schools	111	92
Junior/Senior High Schools	1	100
All Schools	174	92
c. Cigars		
High Schools	63	92
Middle Schools	113	93
Junior/Senior High Schools	1	100
All Schools	177	93
d. Pipes		
High Schools	63	91
Middle Schools	113	91
Junior/Senior High Schools	1	100
All Schools	177	91

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	N	Percent
a. Cigarettes		
High Schools	63	95
Middle Schools	113	95
Junior/Senior High Schools	1	100
All Schools	177	95
b. Smokeless tobacco		
High Schools	62	89
Middle Schools	110	86
Junior/Senior High Schools	1	100
All Schools	173	87
c. Cigars		
High Schools	62	89
Middle Schools	112	92
Junior/Senior High Schools	1	100
All Schools	175	91
d. Pipes		
High Schools	62	87
Middle Schools	112	90
Junior/Senior High Schools	1	100
All Schools	175	89

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	N	Percent
a. During school hours		
High Schools	63	98
Middle Schools	111	96
Junior/Senior High Schools	1	100
All Schools	175	97
b. During non-school hours		
High Schools	63	90
Middle Schools	109	90
Junior/Senior High Schools	1	0
All Schools	173	89

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	N	Percent
a. During school hours		
High Schools	63	97
Middle Schools	110	96
Junior/Senior High Schools	1	100
All Schools	174	96
b. During non-school hours		
High Schools	63	90
Middle Schools	108	84
Junior/Senior High Schools	1	0
All Schools	172	86

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	N	Percent
a. During school hours		
High Schools	63	97
Middle Schools	110	95
Junior/Senior High Schools	1	100
All Schools	174	96
b. During non-school hours		
High Schools	63	90
Middle Schools	108	84
Junior/Senior High Schools	1	0
All Schools	172	86

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	N	Percent
a. In school buildings		
High Schools	63	100
Middle Schools	112	99
Junior/Senior High Schools	1	100
All Schools	176	99
b. Outside on school grounds, including parking lots and playing fields		
High Schools	63	98
Middle Schools	112	98
Junior/Senior High Schools	1	100
All Schools	176	98
c. On school buses or other vehicles used to transport students		
High Schools	63	100
Middle Schools	112	96
Junior/Senior High Schools	1	100
All Schools	176	98
d. At off-campus, school-sponsored events		
High Schools	63	95
Middle Schools	112	91
Junior/Senior High Schools	1	100
All Schools	176	93

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	N	Percent
a. In school buildings		
High Schools	63	100
Middle Schools	112	99
Junior/Senior High Schools	1	100
All Schools	176	99
b. Outside on school grounds, including parking lots and playing fields		
High Schools	63	98
Middle Schools	112	98
Junior/Senior High Schools	1	100
All Schools	176	98
c. On school buses or other vehicles used to transport students		
High Schools	63	95
Middle Schools	112	94
Junior/Senior High Schools	1	100
All Schools	176	95
d. At off-campus, school-sponsored events		
High Schools	63	84
Middle Schools	112	78
Junior/Senior High Schools	1	100
All Schools	176	81

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	N	Percent
a. In school buildings		
High Schools	63	100
Middle Schools	112	98
Junior/Senior High Schools	1	100
All Schools	176	99
b. Outside on school grounds, including parking lots and playing fields		
High Schools	62	95
Middle Schools	112	96
Junior/Senior High Schools	1	100
All Schools	175	96
c. On school buses or other vehicles used to transport students		
High Schools	62	95
Middle Schools	112	93
Junior/Senior High Schools	1	100
All Schools	175	94
d. At off-campus, school-sponsored events		
High Schools	62	68
Middle Schools	111	68
Junior/Senior High Schools	1	100
All Schools	174	68

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.*

	N	Percent
High Schools	61	56
Middle Schools	108	54
Junior/Senior High Schools	1	0
All Schools	170	54

*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	N	Percent
a. Students		
High Schools	63	100
Middle Schools	111	95
Junior/Senior High Schools	1	100
All Schools	175	97
b. Faculty and staff		
High Schools	63	100
Middle Schools	111	94
Junior/Senior High Schools	1	100
All Schools	175	96
c. Visitors		
High Schools	62	87
Middle Schools	109	83
Junior/Senior High Schools	1	0
All Schools	172	84

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*

	N	Percent
High Schools	63	98
Middle Schools	110	94
Junior/Senior High Schools	1	100
All Schools	174	96

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*

	N	Percent
a. No single individual is responsible		
High Schools	58	54
Middle Schools	102	43
Junior/Senior High Schools	1	0
All Schools	161	47
b. Principal		
High Schools	58	17
Middle Schools	102	45
Junior/Senior High Schools	1	100
All Schools	161	34
c. Assistant principal		
High Schools	58	29
Middle Schools	102	13
Junior/Senior High Schools	1	0
All Schools	161	19
d. Other school administrator		
High Schools	58	0
Middle Schools	102	0
Junior/Senior High Schools	1	0
All Schools	161	0
e. Other school faculty or staff member		
High Schools	58	0
Middle Schools	102	0
Junior/Senior High Schools	1	0
All Schools	161	0

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.

	N	Percent
a. Zero tolerance		
High Schools	65	79
Middle Schools	117	78
Junior/Senior High Schools	1	0
All Schools	183	78
b. Effect or severity of the violation		
High Schools	65	31
Middle Schools	116	27
Junior/Senior High Schools	1	100
All Schools	182	29
c. Grade level of student		
High Schools	65	6
Middle Schools	116	25
Junior/Senior High Schools	1	0
All Schools	182	18
d. Repeat offender status		
High Schools	65	45
Middle Schools	117	38
Junior/Senior High Schools	1	0
All Schools	183	40
e. None of these		
High Schools	65	0
Middle Schools	116	2
Junior/Senior High Schools	1	0
All Schools	182	1

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	N	Percent
a. Parents or guardians are notified		
High Schools	64	0
Middle Schools	111	0
Junior/Senior High Schools	1	0
All Schools	176	0
b. Referred to a school counselor		
High Schools	64	8
Middle Schools	110	2
Junior/Senior High Schools	1	0
All Schools	175	4
c. Referred to a school administrator		
High Schools	64	0
Middle Schools	111	0
Junior/Senior High Schools	1	0
All Schools	176	0
d. Encouraged, but not required, to participate in an assistance, education, or cessation program		
High Schools	63	8
Middle Schools	110	11
Junior/Senior High Schools	1	0
All Schools	174	10
e. Required to participate in an assistance, education, or cessation program		
High Schools	63	35
Middle Schools	109	31
Junior/Senior High Schools	1	0
All Schools	173	32
f. Referred to legal authorities		
High Schools	63	0
Middle Schools	110	8
Junior/Senior High Schools	1	0
All Schools	174	5

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	N	Percent
g. Placed in detention		
High Schools	61	39
Middle Schools	110	41
Junior/Senior High Schools	1	0
All Schools	172	40
h. Not allowed to participate in extra-curricular activities or interscholastic sports		
High Schools	64	11
Middle Schools	109	14
Junior/Senior High Schools	1	0
All Schools	174	13
i. Given in-school suspension		
High Schools	64	34
Middle Schools	105	26
Junior/Senior High Schools	1	0
All Schools	170	29
j. Suspended from school		
High Schools	64	2
Middle Schools	105	7
Junior/Senior High Schools	1	100
All Schools	170	5
k. Expelled from school		
High Schools	64	81
Middle Schools	109	82
Junior/Senior High Schools	1	100
All Schools	174	82
l. Reassigned to an alternative school		
High Schools	63	90
Middle Schools	109	89
Junior/Senior High Schools	1	100
All Schools	173	89

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	N	Percent
a. Parents or guardians are notified		
High Schools	64	0
Middle Schools	111	0
Junior/Senior High Schools	1	0
All Schools	176	0
b. Referred to a school counselor		
High Schools	64	17
Middle Schools	110	1
Junior/Senior High Schools	1	0
All Schools	175	7
c. Referred to a school administrator		
High Schools	64	0
Middle Schools	111	0
Junior/Senior High Schools	1	0
All Schools	176	0
d. Encouraged, but not required, to participate in an assistance, education, or cessation program		
High Schools	63	14
Middle Schools	110	13
Junior/Senior High Schools	1	100
All Schools	174	14
e. Required to participate in an assistance, education, or cessation program		
High Schools	63	29
Middle Schools	109	19
Junior/Senior High Schools	1	100
All Schools	173	23
f. Referred to legal authorities		
High Schools	63	14
Middle Schools	110	7
Junior/Senior High Schools	1	100
All Schools	174	10

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	N	Percent
g. Placed in detention		
High Schools	61	7
Middle Schools	110	11
Junior/Senior High Schools	1	0
All Schools	172	9
h. Not allowed to participate in extra-curricular activities or interscholastic sports		
High Schools	64	11
Middle Schools	109	10
Junior/Senior High Schools	1	0
All Schools	174	10
i. Given in-school suspension		
High Schools	64	13
Middle Schools	105	7
Junior/Senior High Schools	1	0
All Schools	170	9
j. Suspended from school		
High Schools	64	6
Middle Schools	105	10
Junior/Senior High Schools	1	0
All Schools	170	9
k. Expelled from school		
High Schools	64	17
Middle Schools	109	15
Junior/Senior High Schools	1	0
All Schools	174	16
l. Reassigned to an alternative school		
High Schools	63	6
Middle Schools	109	9
Junior/Senior High Schools	1	0
All Schools	173	8

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	N	Percent
a. Parents or guardians are notified		
High Schools	64	3
Middle Schools	111	1
Junior/Senior High Schools	1	0
All Schools	176	2
b. Referred to a school counselor		
High Schools	64	36
Middle Schools	110	30
Junior/Senior High Schools	1	100
All Schools	175	33
c. Referred to a school administrator		
High Schools	64	5
Middle Schools	111	2
Junior/Senior High Schools	1	0
All Schools	176	3
d. Encouraged, but not required, to participate in an assistance, education, or cessation program		
High Schools	63	38
Middle Schools	110	34
Junior/Senior High Schools	1	0
All Schools	174	36
e. Required to participate in an assistance, education, or cessation program		
High Schools	63	29
Middle Schools	109	31
Junior/Senior High Schools	1	0
All Schools	173	30
f. Referred to legal authorities		
High Schools	63	40
Middle Schools	110	29
Junior/Senior High Schools	1	0
All Schools	174	33

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	N	Percent
g. Placed in detention		
High Schools	61	29
Middle Schools	110	28
Junior/Senior High Schools	1	100
All Schools	172	29
h. Not allowed to participate in extra-curricular activities or interscholastic sports		
High Schools	64	31
Middle Schools	109	35
Junior/Senior High Schools	1	100
All Schools	174	34
i. Given in-school suspension		
High Schools	64	28
Middle Schools	105	42
Junior/Senior High Schools	1	100
All Schools	170	37
j. Suspended from school		
High Schools	64	48
Middle Schools	105	33
Junior/Senior High Schools	1	0
All Schools	170	39
k. Expelled from school		
High Schools	64	2
Middle Schools	109	3
Junior/Senior High Schools	1	0
All Schools	174	2
l. Reassigned to an alternative school		
High Schools	63	3
Middle Schools	109	2
Junior/Senior High Schools	1	0
All Schools	173	2

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	N	Percent
a. Parents or guardians are notified		
High Schools	64	97
Middle Schools	111	99
Junior/Senior High Schools	1	100
All Schools	176	98
b. Referred to a school counselor		
High Schools	64	39
Middle Schools	110	67
Junior/Senior High Schools	1	0
All Schools	175	56
c. Referred to a school administrator		
High Schools	64	95
Middle Schools	111	98
Junior/Senior High Schools	1	100
All Schools	176	97
d. Encouraged, but not required, to participate in an assistance, education, or cessation program		
High Schools	63	40
Middle Schools	110	42
Junior/Senior High Schools	1	0
All Schools	174	41
e. Required to participate in an assistance, education, or cessation program		
High Schools	63	8
Middle Schools	109	19
Junior/Senior High Schools	1	0
All Schools	173	15
f. Referred to legal authorities		
High Schools	63	46
Middle Schools	110	56
Junior/Senior High Schools	1	0
All Schools	174	52

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	N	Percent
g. Placed in detention		
High Schools	61	25
Middle Schools	110	21
Junior/Senior High Schools	1	0
All Schools	172	22
h. Not allowed to participate in extra-curricular activities or interscholastic sports		
High Schools	64	47
Middle Schools	109	41
Junior/Senior High Schools	1	0
All Schools	174	43
i. Given in-school suspension		
High Schools	64	25
Middle Schools	105	26
Junior/Senior High Schools	1	0
All Schools	170	25
j. Suspended from school		
High Schools	64	44
Middle Schools	105	50
Junior/Senior High Schools	1	0
All Schools	170	47
k. Expelled from school		
High Schools	64	0
Middle Schools	109	0
Junior/Senior High Schools	1	0
All Schools	174	0
l. Reassigned to an alternative school		
High Schools	63	0
Middle Schools	109	0
Junior/Senior High Schools	1	0
All Schools	173	0

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

	N	Percent
High Schools	64	83
Middle Schools	115	85
Junior/Senior High Schools	1	100
All Schools	180	84

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

28. Percentage of schools that did the following activities during the past two years.

	N	Percent
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts		
High Schools	65	38
Middle Schools	116	52
Junior/Senior High Schools	1	0
All Schools	182	47
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use		
High Schools	65	43
Middle Schools	112	47
Junior/Senior High Schools	1	0
All Schools	178	45

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

29. Percentage of schools that provide tobacco cessation services for each of the following groups.

	N	Percent
a. Faculty and staff		
High Schools	65	17
Middle Schools	116	15
Junior/Senior High Schools	1	0
All Schools	182	16
b. Students		
High Schools	65	37
Middle Schools	116	19
Junior/Senior High Schools	1	0
All Schools	182	26

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	N	Percent
a. Faculty and staff		
High Schools	64	38
Middle Schools	115	33
Junior/Senior High Schools	1	0
All Schools	180	34
b. Students		
High Schools	63	38
Middle Schools	115	32
Junior/Senior High Schools	1	0
All Schools	179	34

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	N	Percent
a. Foods or beverages are not offered at school celebrations		
High Schools	65	0
Middle Schools	117	1
Junior/Senior High Schools	1	0
All Schools	183	0
b. Never		
High Schools	65	0
Middle Schools	117	0
Junior/Senior High Schools	1	0
All Schools	183	0
c. Rarely		
High Schools	65	8
Middle Schools	117	7
Junior/Senior High Schools	1	0
All Schools	183	7
d. Sometimes		
High Schools	65	55
Middle Schools	117	49
Junior/Senior High Schools	1	0
All Schools	183	51
e. Always or almost always		
High Schools	65	37
Middle Schools	117	44
Junior/Senior High Schools	1	100
All Schools	183	41

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

	N	Percent
High Schools	65	91
Middle Schools	117	76
Junior/Senior High Schools	1	100
All Schools	183	82

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	N	Percent
a. Chocolate candy		
High Schools	65	15
Middle Schools	116	4
Junior/Senior High Schools	1	0
All Schools	182	9
b. Other kinds of candy		
High Schools	65	17
Middle Schools	116	5
Junior/Senior High Schools	1	0
All Schools	182	10
c. Salty snacks that are not low in fat, such as regular potato chips		
High Schools	65	31
Middle Schools	116	18
Junior/Senior High Schools	1	100
All Schools	182	24
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat		
High Schools	65	51
Middle Schools	116	30
Junior/Senior High Schools	1	0
All Schools	182	38
e. Ice cream or frozen yogurt that is not low in fat		
High Schools	65	40
Middle Schools	116	29
Junior/Senior High Schools	1	0
All Schools	182	33
f. 2% or whole milk (plain or flavored)		
High Schools	65	66
Middle Schools	116	46
Junior/Senior High Schools	1	0
All Schools	182	54

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	N	Percent
g. Water ices or frozen slushes that do not contain juice		
High Schools	64	27
Middle Schools	114	11
Junior/Senior High Schools	1	0
All Schools	179	17
h. Soda pop or fruit drinks that are not 100% juice		
High Schools	65	42
Middle Schools	116	20
Junior/Senior High Schools	1	0
All Schools	182	28
i. Sports drinks, such as Gatorade		
High Schools	64	72
Middle Schools	117	47
Junior/Senior High Schools	1	0
All Schools	182	56
j. Foods or beverages containing caffeine		
High Schools	65	51
Middle Schools	115	7
Junior/Senior High Schools	1	0
All Schools	181	24
k. Fruits (not fruit juice)		
High Schools	65	63
Middle Schools	116	39
Junior/Senior High Schools	1	100
All Schools	182	49
l. Non-fried vegetables (not vegetable juice)		
High Schools	64	50
Middle Schools	116	31
Junior/Senior High Schools	1	0
All Schools	181	38

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

	N	Percent
High Schools	65	71
Middle Schools	115	51
Junior/Senior High Schools	1	0
All Schools	181	59

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools that have done any of the following activities during this school year.

	N	Percent
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages		
High Schools	65	15
Middle Schools	114	8
Junior/Senior High Schools	1	100
All Schools	180	11
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating		
High Schools	65	63
Middle Schools	114	70
Junior/Senior High Schools	1	100
All Schools	180	67
c. Provided information to students or families on the nutrition and caloric content of foods available		
High Schools	64	52
Middle Schools	115	59
Junior/Senior High Schools	1	0
All Schools	180	56
d. Conducted taste tests to determine food preferences for nutritious items		
High Schools	65	32
Middle Schools	115	38
Junior/Senior High Schools	1	100
All Schools	181	36
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics		
High Schools	65	25
Middle Schools	113	26
Junior/Senior High Schools	1	0
All Schools	179	25

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.

	N	Percent
High Schools	62	2
Middle Schools	114	1
Junior/Senior High Schools	1	0
All Schools	177	1

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	N	Percent
a. In the school building		
High Schools	65	62
Middle Schools	116	81
Junior/Senior High Schools	1	100
All Schools	182	73
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus		
High Schools	65	46
Middle Schools	117	73
Junior/Senior High Schools	1	100
All Schools	183	63
c. On school buses or other vehicles used to transport students		
High Schools	65	69
Middle Schools	117	80
Junior/Senior High Schools	1	100
All Schools	183	76
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)		
High Schools	65	57
Middle Schools	117	81
Junior/Senior High Schools	1	100
All Schools	183	72

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have a full-time registered nurse who provides health services to students.

	N	Percent
High Schools	65	97
Middle Schools	117	89
Junior/Senior High Schools	1	0
All Schools	183	92

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.

	N	Percent
a. This school does not identify students diagnosed with chronic health conditions such as asthma		
High Schools	63	0
Middle Schools	113	0
Junior/Senior High Schools	1	0
All Schools	177	0
b. Student emergency cards		
High Schools	63	94
Middle Schools	113	94
Junior/Senior High Schools	1	100
All Schools	177	94
c. Medication records		
High Schools	63	97
Middle Schools	113	89
Junior/Senior High Schools	1	100
All Schools	177	92
d. Health room visit information		
High Schools	63	65
Middle Schools	115	65
Junior/Senior High Schools	1	0
All Schools	179	65
e. Emergency care plans		
High Schools	64	67
Middle Schools	113	70
Junior/Senior High Schools	1	0
All Schools	178	68
f. Physical exam records		
High Schools	63	75
Middle Schools	113	77
Junior/Senior High Schools	1	0
All Schools	177	76

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.

	N	Percent
g. Notes from parents		
High Schools	63	91
Middle Schools	113	86
Junior/Senior High Schools	1	100
All Schools	177	88
h. Other		
High Schools	65	15
Middle Schools	116	11
Junior/Senior High Schools	1	0
All Schools	182	13

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	N	Percent
a. School has no students with known asthma		
High Schools	64	2
Middle Schools	116	0
Junior/Senior High Schools	1	0
All Schools	181	1
b. All students with known asthma have an asthma action plan on file		
High Schools	64	33
Middle Schools	116	51
Junior/Senior High Schools	1	100
All Schools	181	44
c. Most students with known asthma have an asthma action plan on file		
High Schools	64	36
Middle Schools	116	24
Junior/Senior High Schools	1	0
All Schools	181	29
d. Some students with known asthma have an asthma action plan on file		
High Schools	64	30
Middle Schools	116	19
Junior/Senior High Schools	1	0
All Schools	181	23
e. No students with known asthma have an asthma action plan on file		
High Schools	64	0
Middle Schools	116	6
Junior/Senior High Schools	1	0
All Schools	181	4

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.

	N	Percent
a. School does not identify students with poorly controlled asthma		
High Schools	65	8
Middle Schools	116	12
Junior/Senior High Schools	1	0
All Schools	182	10
b. Frequent absences from school		
High Schools	65	42
Middle Schools	116	60
Junior/Senior High Schools	1	100
All Schools	182	53
c. Frequent visits to the school health office due to asthma		
High Schools	65	83
Middle Schools	116	82
Junior/Senior High Schools	1	100
All Schools	182	82
d. Frequent asthma symptoms at school		
High Schools	65	68
Middle Schools	116	72
Junior/Senior High Schools	1	100
All Schools	182	71
e. Frequent non-participation in physical education class due to asthma		
High Schools	65	48
Middle Schools	116	51
Junior/Senior High Schools	1	100
All Schools	182	50
f. Students sent home early due to asthma		
High Schools	65	54
Middle Schools	116	50
Junior/Senior High Schools	1	100
All Schools	182	52

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.

	N	Percent
g. Calls from school to 911, or other local emergency numbers, due to asthma		
High Schools	65	25
Middle Schools	117	22
Junior/Senior High Schools	1	100
All Schools	183	23

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	N	Percent
a. Providing referrals to primary healthcare clinicians or child health insurance programs		
High Schools	62	81
Middle Schools	113	82
Junior/Senior High Schools	1	0
All Schools	176	81
b. Ensuring an appropriate written asthma action plan is obtained		
High Schools	62	71
Middle Schools	113	85
Junior/Senior High Schools	1	100
All Schools	176	80
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school		
High Schools	62	84
Middle Schools	115	91
Junior/Senior High Schools	1	0
All Schools	178	88
d. Offering asthma education for the student with asthma and his/her family		
High Schools	62	65
Middle Schools	113	73
Junior/Senior High Schools	1	0
All Schools	176	69
e. Minimizing asthma triggers in the school environment		
High Schools	62	79
Middle Schools	114	82
Junior/Senior High Schools	1	0
All Schools	177	80
f. Addressing social and emotional issues related to asthma		
High Schools	61	62
Middle Schools	111	70
Junior/Senior High Schools	1	0
All Schools	173	67

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	N	Percent
g. Providing additional psychosocial counseling or support services as needed		
High Schools	60	53
Middle Schools	113	56
Junior/Senior High Schools	1	0
All Schools	174	55
h. Ensuring access to safe, enjoyable physical education and activity opportunities		
High Schools	62	89
Middle Schools	114	97
Junior/Senior High Schools	1	0
All Schools	177	93
i. Ensuring access to preventive medications before physical activity		
High Schools	62	94
Middle Schools	114	96
Junior/Senior High Schools	1	0
All Schools	177	94

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.

	N	Percent
High Schools	65	100
Middle Schools	117	99
Junior/Senior High Schools	1	100
All Schools	183	99

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.

	N	Percent
High Schools	64	98
Middle Schools	113	99
Junior/Senior High Schools	1	100
All Schools	178	99

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	N	Percent
a. More than once per year		
High Schools	64	3
Middle Schools	116	1
Junior/Senior High Schools	1	0
All Schools	181	2
b. Once per year		
High Schools	64	20
Middle Schools	116	25
Junior/Senior High Schools	1	0
All Schools	181	23
c. Less than once per year		
High Schools	64	17
Middle Schools	116	12
Junior/Senior High Schools	1	0
All Schools	181	14
d. No such requirement		
High Schools	64	59
Middle Schools	116	62
Junior/Senior High Schools	1	100
All Schools	181	61

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

	N	Percent
High Schools	64	77
Middle Schools	117	83
Junior/Senior High Schools	1	100
All Schools	182	81

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*

	N	Percent
a. Students		
High Schools	49	92
Middle Schools	95	95
Junior/Senior High Schools	1	100
All Schools	145	94
b. Parents/families		
High Schools	49	94
Middle Schools	95	95
Junior/Senior High Schools	1	100
All Schools	145	94

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*

	N	Percent
a. No single individual is responsible		
High Schools	46	20
Middle Schools	90	10
Junior/Senior High Schools	1	0
All Schools	137	13
b. Principal		
High Schools	46	2
Middle Schools	90	10
Junior/Senior High Schools	1	100
All Schools	137	8
c. Assistant principal		
High Schools	46	2
Middle Schools	90	0
Junior/Senior High Schools	1	0
All Schools	137	1
d. School nurse		
High Schools	46	76
Middle Schools	90	80
Junior/Senior High Schools	1	0
All Schools	137	78
e. Other school faculty or staff member		
High Schools	46	0
Middle Schools	90	0
Junior/Senior High Schools	1	0
All Schools	137	0

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	N	Percent
a. HIV, STD, or teen pregnancy prevention		
High Schools	64	8
Middle Schools	116	11
Junior/Senior High Schools	1	0
All Schools	181	10
b. Tobacco-use prevention		
High Schools	64	17
Middle Schools	116	17
Junior/Senior High Schools	1	100
All Schools	181	18
c. Physical activity		
High Schools	64	38
Middle Schools	116	46
Junior/Senior High Schools	1	0
All Schools	181	42
d. Nutrition and healthy eating		
High Schools	64	48
Middle Schools	116	61
Junior/Senior High Schools	1	100
All Schools	181	57
e. Asthma		
High Schools	63	8
Middle Schools	117	13
Junior/Senior High Schools	1	0
All Schools	181	11

**New Hampshire
2008 School Health Profiles Report
Weighted Principal Survey Results**

50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	N	Percent
a. HIV, STD, or teen pregnancy prevention		
High Schools	64	24
Middle Schools	115	15
Junior/Senior High Schools	1	0
All Schools	180	18
b. Tobacco-use prevention		
High Schools	64	30
Middle Schools	116	27
Junior/Senior High Schools	1	0
All Schools	181	28
c. Physical activity		
High Schools	64	34
Middle Schools	116	48
Junior/Senior High Schools	1	0
All Schools	181	43
d. Nutrition and healthy eating		
High Schools	64	52
Middle Schools	116	61
Junior/Senior High Schools	1	100
All Schools	181	58
e. Asthma		
High Schools	63	11
Middle Schools	115	11
Junior/Senior High Schools	1	0
All Schools	179	11